IncrediMail – Windows

Passo 1: Abra o IncrediMail e clique em Ferramentas;

Após clicar em Ferramentas, abra a caixa Email Accounts...

	-		2	Inbox-Incred	Mail 2.0
<u>File Edit View</u> Io	ols <u>M</u> essage <u>H</u> elp				
	Address Book Ctrl	+Shift+B			8
	Blocked <u>S</u> enders			SALE	NID Cur
write Get Ma	Select <u>N</u> otifier	Juner Ski	incredic	enter Gallery	VIP Sup
usuario 🖇	Junk Mail	• @	Search		
Add Profi	Automatic <u>R</u> eply Settings	Isuario	🖂 Unread	S Attachments	💽 Imag
😭 Home	Message Rules	From		Subject	
	Ide <u>n</u> tities	•			
Inbox 🧔	Email Accounts				
🖄 Outbox 🏷	🖇 Options				
Sent Items					
🛐 Deleted Iten	ns				
JunkFilter Pl	lus <u>Turn On</u>				

Passo 2: Com a nova janela aberta, clique no usuário que deseja modificar e depois em **Properties**;

Account	Email Address	Add
Ufscar (usuario) (default)	usuario@ufscar.br	<u>R</u> emove
		Properties
		Set as <u>D</u> efault

Passo 3: verifique em Servers se as configurações de Servidor de entrada (Incoming mail Server) e Servidor de saída (Outgoing mail server) estão como pop.ufscar.br e smtp.ufscar.br, respectivamente. Deixe marcada também a opção My server requires authentication.

		🐸 Utscar (usuano)	Properties		
General	Servers	Advanced			
		Server Information	0		
		Incoming mail server:	pop.ufscar.br		2
		Outgoing mail server:	smtp.ufscar.br		?
	\leq	Incoming Mail Server			
		Username:	usuario		0
C C		Password:	****		•
			Remember pa	ssword	
		Log on using Sec	cure Password Auther	ntication	
		Outgoing Mail Server			
		My server require	s authentication	More Settin	as
				. <u>.</u>	<u></u>
			N OK	¥ Ca	incel

Feito isso, clique na aba Advanced;

Passo 4: Em **Outgoing mail (SMTP)**, adicione **587** para o número da porta e selecione a opção **This server requires a secure connection (SSL)**;

Já em Incoming mail (POP3), coloque o valor 995 e selecione a caixa This server requires a secure connection (SSL).

	🗃 Ufscar (usuario) Properties	
General Servers	Advanced	
	Server Port Numbers Outgoing mail (SMTP): 587 This server requires a secure connection (SSL) Incoming mail (POP3): 995 This server requires a secure connection (SSL)	
	Use Default Delivery Leave a copy of messages on server Remove from server after Remove from server after Apply the JunkFilter when receiving messages to this accord	cour
	V OK 🙀 Cand	cel

Passo 5: Clique em **OK** para finalizar esta etapa da configuração;

Na próxima janela, clique em Close;

Por fim, na Reinicie o seu IncrediMail!

Obs.: Ao abrir seu IncrediMail, você poderá receber a seguinte mensagem:

IncrediMail 2.0

The Server you are connected to is using a security certificate that could not be verified

Do you want to continue using this server?

Clique em **Yes** para continuar. Esta mensagem poderá aparecer a cada vez que o IncrediMail for aberto novamente.



Pronto! Agora o seu cliente de E-mail está pronto para ser usado com segurança.